Cumulative Contents

Editorial	*I. G. C. Dryden*	2
The smaller molecules derived from coal and their significance	*Mark Vahrman*	5
The flash heating of pulverized coal	*A. F. Granger and W. R. Ladner*	17
Laser heating of pulverized coal in the source of a time-of-flight mass spectrometer	*W. K. Joy, W. R. Ladner and E. Pritchard*	26
Chemical constitution of coal. 16: Methylation studies on humic acid	*G. G. Briggs and G. J. Lawson*	39
Comparative determinations of reactivities of chars, cokes, charcoals and graphite by a thermogravimetric method	*L. J. Brennan, R. P. Donnelly and A. Rouillard*	49
Adsorption of beryllium on peat and coals	*Gr. Eskenazy*	61
Infra-red spectra of Japanese coal: the absorption bands at 3030, 2930 and 1100 cm^{-1}	*S. Fujii, Y. Osawa and H. Sugimura*	68
A structural investigation of the constituents of Athabasca bitumen by proton magnetic resonance spectroscopy	*J. G. Speight*	76
The porosity of brown coal char	*D. G. Evans and J. A. Hermann*	110
Chemical composition of micrinites and semifusinites	*H. H. Oelert*	119
Determination of pyritic sulphur in Australian coals	*M. S. Burns*	126
Thermal cracking of Athabasca bitumen, Athabasca asphaltenes and Athabasca deasphalted heavy oil	*J. G. Speight*	134
Fluidized-bed char from Australian coals	*K. McG. Bowling and P. L. Waters*	146
Correlations between pitch binder properties and properties of Soderberg electrodes	*C. R. Mason*	165
Evaluation of electrode binder pitch by mass spectrometry	*J. L. Shultz, R. A. Friedel and A. G. Sharkey, Jr.*	175
The infra-red spectra of Tertiary lignites	*S. Buravas, A. F. Gaines* et al	180

A study of an oil shale	*S. Chomnanti, P. Deemak, A. F. Gaines* et al	188
Carboxyl groups and ion exchange in low-rank coals	*H. N. S. Schafer*	197
Oxidation studies on coking coal related to weathering. Part 1: Chromatographic analysis of the pyrolysis gases as a method for studying coal weathering	*B. S. Ignasiak, B. N. Nandi and D. S. Montgomery*	214
Light-induced chemiluminescence in derivatives of coal and petroleum	*R. E. Markby, R. A. Friedel, S. Friedman and H. W. Sternberg*	242
Gas transport through sections of solid coal	*F. S. Karn, R. A. Friedel, B. M. Thames and A. G. Sharkey Jr.*	249
Studies of organic sulphur in coke: sulphur-carbons formed by pyrolysis in condensed phases	*H. E. Blayden and J. W. Patrick*	257
Determination of the total acidity of low-rank coals	*H. N. S. Schafer*	271
Catalytic dehydrogenation of coal: Part 4. A comparison of exinite, micrinite and fusinite with vitrinite	*L. Reggel, I. Wender and R. Raymond*	281
Catalytic dehydrogenation of coal: Part 5. Effect of air oxidation on catalytic dehydrogenation of coal	*L. Reggel, I. Wender and R. Raymond*	287
World energy prospects: an appraisal	*A. Parker*	289
Activated diffusion of methane in coal	*S. P. Nandi and P. L. Walker Jr.*	309
Pore structure of low temperature chars	*T. N. Roy and S. P. Nandi*	346
Challenges facing the petroleum industry to the year 2000: an appraisal	*H. Harvey*	357
Characteristics of chars from fluid-bed coal carbonization	*N. Y. Kirov and M. A. Peck*	375
The smaller molecules obtainable from coal and their significance: Part 1. Solvent extraction of a weakly-caking coal at atmospheric pressure	*J. A. Spence and M. Vahrman*	395
The granular micrinite component of coal	*J. T. McCartney*	409
Aspects of the thermal analysis of coals in presence of air	*P. Dugan and V. J. Moran*	415

Vapour-concentration measurements on low-temperature tars	*B. Dashfield and W. S. Wise*	425
Silica ratio estimation from carbon dioxide content, ash yield and pyritic-sulphur content of Australian bituminous coals	*M. Shibaoka*	431
Letters to the Editor		
Surface areas of coals from carbon dioxide adsorption at 298K	*P. L. Walker Jr. and R. L. Patel*	91
Ultrasonic solvation of coal in quinoline and other solvents	*T. Kessler, R. A. Friedel and A. G. Sharkey Jr.*	222
ESR measurement of free radicals in chars prepared by flash-heating	*R. J. R. Hayward, W. R. Ladner and R. Wheatley*	223
Reflectance of Himalayan coals	*T. K. Ghosh*	226
Rate studies of aerial oxidation of coal at low temperatures (30–170 °C)	*S. C. Banerjee, B. D. Banerjee and R. N. Chakravorty*	324
Replication of fly-ash particles for electron microscopy	*J. F. Corcoran*	331
Introduction of halogen into asphaltenes via the Gomberg reaction	*S. E. Moschopedis and J. G. Speight*	335
Sulphomethylation of humic acids, lignites and coals	*S. E. Moschopedis*	336
Examinations of coke using the scanning electron microscope	*J. Frigge and E. M. Wolff*	436
Recent Developments and Notes	*D. G. Edwards*	95, 229, 339, 438
Overseas Correspondents' Notes		442
Storch Award 1969		102
Abstracts in French and German		104, 234, 342, 448
Indexes		449

Classified ~~Contents~~ INDEX

Abstracts in French, 104, 234, 342, 446
Abstracts in German, 106, 237, 343, 447
Acidity, detn in low-rank coals, 271
Adsorption, of beryllium on peat and coals, 61
Asphaltenes, Athabasca, thermal cracking of, 134
— introduction of halogen, 335
Athabasca asphaltenes, thermal cracking of, 134
— **bitumen,** structural investigation by spectroscopy, 76
— — thermal cracking of, 134
Australian bituminous coals, silica-ratio estimation, 431

Beryllium, adsorption on peat and coals, 61
Bitumen, Athabasca, a structural investigation of the constituents of by p.m.r. spectroscopy, 76
— thermal cracking of, 134

Carbonization, fluid-bed of coals, chars from, 375
Charcoals, the comparitive detn of reactivities with chars, cokes and graphites by a thermogravimetric method, 49
Chars, from fluid-bed coal carbonization, characteristics of, 146, 375
— low temperature, pore structure of, 346
— reactivities, detn of, comparison of chars, cokes, charcoals and graphites, 49
Chemiluminescence, light-induced in derivatives of coal and petroleum, 242
Coals, adsorption of beryllium, 61
— Australian, determination of pyritic sulphur, 126
— — silica-ratio estimation, 431
— — fluid-bed char from, 146
— brown, porosity of chars, 110
— carboxyl groups and ion exchange, 197
— chemiluminescence of derivatives, 242
— dehydrogenation, comparison of macerals, 281
— — effect of air oxidation, 287
— diffusion of methane in coal, 309
— dissolution in quinoline etc, influence of ultrasonics, 222
— gas transport through sections of, 249
— granular micrinite component, 409
— Himalayan, reflectance, 226
— Japanese, infra-red spectra, 68,
Coals, laser heating in the source of time-of-flight mass spectrometer, 26
— low-rank, carboxyl groups and ion exchange, 197
— — determination of the acidity in, 271
— light-induced chemiluminescence in derivatives, 242
— oxidation studies related to weathering, 214
— oxidation by air, rate studies, 324
— oxidation up to 170 °C, 324
— pulverized, flash heating, 17
— — , laser heating in the source of a mass spectrometer, 26
— smaller molecules derived from, 5, 395
— solvent extraction, 395
— sulphomethylation, 336
— surface areas from carbon dioxide adsorption, 91
— thermal analysis of, 415
— ultrasonic solvation in quinoline and other solvents, 222
— weathering, study of by pyrolysis and chromatography, 214
Cokes, reactivities by thermogravimetric method, 49
Coking coal, oxidation studies related to weathering, 214

Electrode binder pitch, evaluation by mass spectrometry, 175
Electrodes, Soderberg, correlation with pitch binders, 165
Electron microscopy, the replication of fly-ash particles for, 331
Energy, world prospects: appraisal, 289
Exinite, comparison with micrinite, fusinite, and vitrinite, 281

Flash-heating, of pulverized coal, 17
Fluid-bed carbonization, coal chars, characterization of, 375
— char from Australian coals, 146
Fly-ash particles, replication of for electron microscopy, 331
Free radicals in chars, e.s.r. measurement of, 223

Granular micrinite component of coal, 409
Graphites, detn of reactivities by thermogravimetric method, 49

Gomberg reaction, for introduction of halogen into asphaltenes, 335

Halogen, introduction into asphaltenes, 335
Humic acids, methylation studies, 39
— sulphomethylation, 336

Infra-red spectra, Japanese coals, 68,
— Tertiary lignites, 180
Ion exchange in low-rank coals, 197

Laser heating of pulverized coal, 26
Lignites, Tertiary, infra-red spectra of, 180
Lignites, sulphomethylation, 336

Macerals, a comparison, 281
— catalytic dehydrogenation of coal, 281
Mass spectrometer, laser heating coal in source, 26
— evaluation of electrode binder pitch, 175
Methane in coal, activated diffusion, 309
Micrinite, chemical composition of, 119
— comparison with exinite, fusinite and vitrinite, 281
— granular, 409

Oil, deasphalted heavy, thermal cracking 134
Oil shale, study of, 188

Peat, adsorption of beryllium, 61
Petroleum, chemiluminescence of derivatives, 242
Petroleum industry, future prospects, 357
Pitch binder properties of Soderberg electrodes, 165
— evaluation of by mass spectrometry, 175
Pore structure, of low-temperature chars 346
Porosity, of brown coal char, 110
Pulverized coal, flash-heating, 17
— laser heating in source of time-of-flight mass spectrometer, 26
Pyrolysis gases and coal weathering, 214

Quinoline, ultrasonic solvation of coal, 222

Reactivities of chars, cokes, charcoals and graphite, comparison by a thermogravimetric method, 49
Recent Developments and Notes, 95, 229, 339, 438
Reflectance of Himalayan coals, 226

Semifusinites, chemical composition, 119
Silica-ratio estimation for coals, 431
Solvent extraction, of coal, smaller molecules, 395
Soderberg electrodes, correlations with pitch binders, 165
Storch Award 1969, 102
Sulphomethylation of humic acids, lignites and coals, 336
Sulphur-carbons, formed by pyrolysis in condensed phases, 257
Sulphur, organic in coke, studies of, 257
— pyritic, detn in Australian coals, 126
Surface areas of coals, from carbon dioxide adsorption, 91

Tars, low-temperature, coal, vapour, concentration measurements, 425
Thermal analysis of coal, 415
Thermal cracking of Athabasca bitumen, Athabasca asphaltenes and Athabasca deasphalted heavy oil, 134
Thermogravimetry, reactivities of chars, cokes, charcoals and graphites, 49

Ultrasonics, solvation of coal in quinoline etc, 222

Vitrinites, comparison with exinite, fusinite and micrinite, 281

Weathering, related to oxidation studies on coking coal, 214
World energy prospects, appraisal, 289

Author index

BANERJEE, S. C., BANERJEE, B. D. and CHAKRAVORTY, R. N.: Rate studies of aerial oxidation of coal at low temperatures (30–170 °), 324

BANERJEE, B. D.: see BANERJEE, S. C., BANERJEE, B. D. and CHAKRAVORTY, R. N.

BLAYDEN, H. E. and PATRICK, J. W.: Studies of organic sulphur in coke: sulphur-carbons formed by pyrolysis in condensed phases, 257

BOWLING, K. McG and WATERS, P. L.: Fluidized-bed char from Australian coals, 146

BRENNAN, L. J., DONNELLY, R. P. and ROUILLARD, A.: Comparative determination of reactivities of chars, cokes, charcoals and graphite by a thermogravimetric method, 49

BRIGGS, G. G. and LAWSON, G. J.: Chemical constitution of coal. 16: Methylation studies on humic acid, 39

BURAVAS, S., *et al*: The infra-red spectra of Tertiary lignites, 180

BURNS, M. S.: Determination of pyritic sulphur in Australian coals, 126

CHAKRAVORTY, R. N.: see BANERJEE, S. C., BANERJEE, B. D. and CHAKRAVORTY, R. N.

CORCORAN, J. F.: Replication of fly-ash particles for electron microscopy, 331

CHOMNANTI, S. *et al*: A study of an oil shale, 188

DASHFIELD, B. and WISE, W. S.: Vapour-concentration measurements on low-temperatures tars, 425

DEEMAK, P.: see CHOMNANTI, S.

DONNELLY, R. P. see BRENNAN, L. J., DONNELLY, R. P. and ROUILLARD, A.

DRYDEN, I. G. C.: Editorial, 1

DUGAN, P. and MORAN, V. J.: Aspects of the thermal analysis of coal, 415

ESKENAZY, GR.: Adsorption of beryllium on peat and coals, 61

EVANS, D. G. and HERMANN, J. A.: The porosity of brown coal char, 110

FRIEDEL, R. A. : see KARN, F. S., FRIEDEL, R. A., THAMES, B. M. and SHARKEY, A. G. JR.

—: see KESSLER, T., FRIEDEL, R. A. and SHARKEY, A. G. JR.

FRIEDEL, R. A.: see MARKBY, R. E., FRIEDEL, R. A., FRIEDMAN, S. and STERNBERG, H. W.

—: see SHULTZ, J. L., FRIEDEL, R. A. and SHARKEY, A. G., JR.

FRIEDMAN, S.: see MARKBY, R. E., FRIEDEL, R. A., FRIEDMAN, S. and STERNBERG, H. W.

FUJII, S., ŌSAWA, Y., and SUGIMURA, H.: Infra-red spectra of Japanese coal: the absorption bands at 3030, 2930 and 1600 cm^{-1}, 68

GAINES, A. F.: see BURAVAS, S.,

—:see CHOMNANTI, S.,

GHOSH, T. K.: Reflectance of Himalayan coals, 226

GRANGER, A. F. and LADNER, W. R.: The flash-heating of pulverized coal, 17

HARVEY, H.: Challenges facing the petroleum industry to the year 2000, 357

HASADSRI, T.: see BURAVAS, S.

HAYWARD, R. J. R., LADNER, W. R. and WHEATLEY, R.: ESR measurement of free radicals in chars prepared by flash-heating, 223

HERMANN, J. A.: see EVANS, D. G. and HERMANN, J. A.

IGNASIAK, B. S., NANDI, B. N. and MONTGOMERY, D. S.: Oxidation studies on coking coal related to weathering. Part 1: Chromatographic analysis of the pyrolysis gases as a method for studying coal weathering, 214

JOY, W. K., LADNER, W. R. and PRITCHARD, E.: Laser heating of pulverized coal in the source of a time-of-flight mass spectrometer, 26

KARN, F. S., FRIEDEL, R. A., THAMES, B. M. and SHARKEY, A. G. JR.: Gas transport through sections of solid coal, 249

KASOMSON, T.: see CHOMNANTI, S.

KEOWKAMNERD, K.: see CHOMNANTI, S.

KESSLER, T., FRIEDEL, P. A., and SHARKEY, A. G. JR.: Ultrasonic solvation of coal in quinoline and other solvents, 222

KIROV, N. Y. and PECK, M. A.: Characteristics of chars from fluid-bed coal carbonization, 375

LADNER, W. R. see GRANGER, A. F. and LADNER, W. R.
—: see HAYWARD, R. J. R., LADNER, W. R. and WHEATLEY, R.
—: see JOY, W. K., LADNER, W. R. and PRITCHARD, E.
LAWSON, G. J.: see BRIGGS. G. G. and LAWSON, G. J.
LORVIDHYA, V.: see CHOMNANTI, S.

MARKBY, R. E., FRIEDEL, R. A., FRIDEMAN, S. and STERNBERG, H. W. Light-induced chemiluminescence in derivatives of coal and petroleum, 242
MARSHALL, R. J.: see MURCHISON, D. G. and MARSHALL, R. J.
MASON, C. R.: Correlations between pitch binder properties and properties of Soderberg electrodes, 165
MCCARTNEY, J. T.: The granular micrinite component of coal, 409
MONTGOMERY, D. S.: see IGNASIAK, B. S., NANDI, B. N. and MONTGOMERY, D. S.
MORAN, V. J.: see DUGAN, P. and MORAN, V. J.
MOSCHOPEDIS, S. E.: Sulphomethylation of humic acids, lignites and coals, 336
MOSCHOPEDIS, S. E. and SPEIGHT, J. G.: Introduction of halogen into asphaltenes via the Gomberg reaction, 335

NANDI, B. N.: see IGNASIAK, B. S., NANDI, B. N. and MONTGOMERY, D. S.
NANDI, S. P.: see ROY, T. N., and NANDI, S. P.
NANDI, S. P. and WALKER, P. L. JR.: Activated diffusion of methane in coal, 309

ŌSAWA, Y.: see FUJII, S., ŌSAWA, Y. and SUGIMURA, H.
OELERT, H. H.: Chemical composition of micrinites and semi-fusinites, 119

PARKER, A.: World energy prospects: an appraisal, 289
PATEL, R. L.: see WALKER, P. L. JR., and PATEL, R. L.
PATRICK, J. W.: see BLAYDEN, H. W. and PATRICK, J. W.
POMTALPONG, C.: see CHOMNANTI, S.
PECK, M. A.: see KIROV, N. Y. and PECK, M. A.
PRASERTWITAYAKIJ, A.: see BURAVAS, S.
PRITCHARD, E.: see JOY, W. K., LADNER, W. R. and PRITCHARD, E.

RAYMOND, R.: see REGGEL, L., WENDER, I. and RAYMOND, R.
REGGEL, L., WENDER, I. and RAYMOND, R.: Catalytic dehydrogenation of coal: Part 4. A comparison of exinite, micrinite, and fusinite with vitrinite, 281
—:— Part 5. Effect of air oxidation on catalytic dehydrogenation of coal, 287
ROUILLARD, A: see BRENNAN, L. J., DONNELLY. R. P. and ROUILLARD, A.
ROY, T. N. and NANDI, S. P.: Pore structure of low-temperature chars, 346

SCHAFER, H. N. S.: Carboxyl groups and ion exchange in low-rank coals, 197
SCHAFER, H. N. S.: Determination of the total acidity of low-rank coals, 271
SHARKEY, A. G. JR.: see KARNS, F. S., FRIEDEL, R. A., THAMES, B. M. and SHARKEY, A. G. JR.
—: see KESSLER, T., FRIEDEL, R. A., and SHARKEY, A. G. JR.
—: see SHULTZ, J. L., FRIEDEL, R. A. and SHARKEY, A. G. JR.
SHIBAOKA, M.: Silica-ratio estimation from CO_2 content, ash yield and pyritic-sulphur content of Australian bituminous coals, 431
SHIH, J. W.: see ŌSAWA, Y. and SHIH, J. W.
SHULTZ, J. L., FRIEDEL, R. A. and SHARKEY, A. G. JR.: Evaluation of electrode binder pitch by mass spectrometry, 175
SPEIGHT, J. G.: A structural investigation of the constituents of Athabasca bitumen by proton magnetic resonance spectroscopy, 76
—: see MOSCHOPEDIS, S. E. and SPEIGHT, J. G.
—: Thermal cracking of Athabasca bitumen, Athabasca asphaltenes and Athabasca deasphalted heavy oil, 134
SPENCE, J. A. and VAHRMAN, M.: The smaller molecules obtainable from coal and their significance: Part 1. Solvent extraction of a weakly-caking coal at atmospheric pressure, 395
STERNBERG, H. W.: see MARKBY, R. E., FRIEDEL, R. A., FRIEDMAN, S. and STERNBERG, H. W.
SUCHARITAKUL, Mrs. N.: see BURAVAS, S.
—: see CHOMNANTI, S.
SUGIMURA, H.: see FUJII, S., ŌSAWA, Y. and SUGIMURA, H.

THAMES, B. M.: see KARN, F. S., FRIEDEL, R. A., THAMES, B. M. and SHARKEY, A. G. JR.

VAHRMAN, M.: The smaller molecules derived from coal and their significance, 5
—: see SPENCE, J. A. and VAHRMAN, M.
VANITSUKSOMBAT, V.: see CHOMNANTI, S.

WALKER, P. L. JR.: see NANDI, S. P. and WALKER, P. L. JR.
WALKER, P. L. JR. and PATEL, R. L: Surface areas of coals from carbon dioxide adsorption at 298 K, 91
WATERS, P. L: see BOWLING, K. McG. and WATERS, P. L.
WENDER, I.: see REGGEL, L., WENDER, I. and RAYMOND, R.
WHEATLEY, R.: see HAYWARD, R. J. R., LADNER, W. R. and WHEATLEY, R.
WIRIYATHIEN, W.: see CHOMNANTI, S.
WISE, W. S.: see DASHFIELD, B. and WISE, W. S.

Recent Developments and Notes

Notes dealing with selected subject related to the following fields will be found by reference to the pages indicated.

Air pollution, 440

Coal carbonization and coke, 96, 98, 99, 229, 340, 441
Coal industry, 99, 229, 340, 439
Coal petrology, physics, chemical constitution and reactions, 95, 230, 339, 428, 440

Electricity industry, 229, 339

Fuel cells, 341
Fuel economics and policy, 97, 439
Fuel journals, 100, 101, 232, 233
Fuel origins, 438

Gas industry and gasification, 229, 231, 232

Mineral in coal, 438

Nuclear energy, 95, 229

Oil industry, 229, 231, 341

Petroleum, oil-shale and natural gas technology, 97, 231

Standardization and analysis, 95, 230, 341